






Floral Series

External Lighting



Architectural LED luminaire with floral characteristics. Available in a range of wattages and sizes, colours, asymmetric and symmetric versions.

Construction: Die-cast Aluminium
IP66 housing, IK10.

Optics: Symmetric and Asymmetric.

Installation: Post-top on 60mm spigot as standard. Optional Wall mounted or pendent mounted versions.

Finish: Black RAL 9005 as standard.
Other RALs on request - See Examples.

LED: Available in 13w-106w LED.
4000K as standard. 3000K on request.
Nichia type.
L70 > 100,000 hours.

Driver: Driver is remote, for locating in base of column. 700mA as standard, 350mA or 500mA on request.

Options/Modularity: Up to 8 Petals can be fitted, either Mini or Standard size, with or without LEDs. Petals can be different RALs. Dali, CLO or other Dimming.


Manufactured: EU.

Product Compliance: EN 60598, CE.


Veelite

DIMENSIONS


MINI VERSION - max 3 Leds Per Petal




STANDARD VERSION - max 6 Leds Per Petal



MIXED VERSION




DIMENSIONS




Weight: Max 14kg
Windage: Max 0.06m²

Size (all dimensions in mm.)	A	B	C
1	500	195	70
2	700	195	70



EXAMPLE OF DIFFERENT RAL FINISHES



Veelite




Veelite

ORDERING CODE - examples only

TYPE	Wattage	Total Petals	LEDs	Code	Arrangement	Lumens
Mini Version (Mini-Petals)						
MA	53 W	8	24	5FL-MA-LBA	3 LEDs x 8 Petals	6080 lm
MB	27 W	8	12	5FL-MB-LBA	3 LEDs x 4 Petals, 4 Blank Petals	3040 lm
MC	27 W	8	12	5FL-MC-LBA	3 LEDs x 4 Petals, 4 Blank Petals	3040 lm
MD	27 W	4	12	5FL-MD-LBA	3 LEDs x 4 Petals	3040 lm
ME	27 W	4	12	5FL-ME-LBA	3 LEDs x 4 Petals	3040 lm
MF	7 W	1	3	5FL-MF-LBA	3 LEDs x 1 Petal	725 lm
Standard Version						
SH	106 W	8	48	5FL-SH-LBA	6 LEDs x 8 Petals	12100 lm
SI	53 W	8	24	5FL-SI-LBA	6 LEDs x 4 Petals, 4 Blank Petals	6080 lm
SJ	53 W	8	24	5FL-SJ-LBA	6 LEDs x 4 Petals, 4 Blank Petals	6080 lm
SK	80 W	8	36	5FL-SK-LBA	6 LEDs x 4 Petals, 3 LEDs x 4 Petals	9120 lm
SL	53 W	8	24	5FL-SL-LBA	3 LEDs x 8 Petals	6080 lm
SM	27 W	8	12	5FL-SM-LBA	3 LEDs x 4 Petals, 4 Blank Petals	3040 lm
SP	53 W	4	24	5FL-SP-LBA	6 LEDs x 4 Petals	6080 lm
SQ	27 W	4	12	5FL-SQ-LBA	3 LEDs x 4 Petals	3040 lm
SR	53 W	4	24	5FL-SR-LBA	6 LEDs x 4 Petals	6080 lm
SS	27 W	4	12	5FL-SS-LBA	3 LEDs x 4 Petals	3040 lm
ST	27 W	4	12	5FL-ST-LBA	6 LEDs x 2 Petals, 2 Blank Petals	3040 lm
Mixed Version						
XU	80 W	8	36	5FL-XU-LBA	6 LEDs x 4 Petals, 3 LEDs x 4 Mini Petals	9120 lm
XV	53 W	8	24	5FL-XV-LBA	6 LEDs x 4 Petals, 4 Blanks Mini Petals	6080 lm
XW	53 W	8	24	5FL-XW-LBA	3 LEDs x 4 Petals, 3 LEDs x 4 Mini Petals	6080 lm
XX	27 W	8	12	5FL-XX-LBA	3 LEDs x 4 Mini Petals, 4 Large Blank Petals	3040 lm
XY	53 W	5	24	5FL-XY-LBA	6 LEDs x 3 Mini Petals, 3 LEDs x 2 Mini Petals	6080 lm
XZ	40 W	5	18	5FL-XZ-LBA	6 LEDs x 3 Mini Petals, 2 Blank Mini Petals	4560 lm

OPTIONS

RAL: Pls specify
3K: 3000K, Warm White
DALI: DALI
1-10V: 1-10v Dimming
CLO: Constant Lumen Output



Further info on request · email: info@veelite.com · www.veelite.com

Specifications may change without prior notification. Ref: 393

Veelite